



J&A (International) Limited
THE GARMENT DECORATION SPECIALISTS

TECHNICAL DATASHEET

Trademark Transfers



www.ja-int.com | +44 (0)1790 752 757

J&A (International) Ltd. Insignia House, Vale Road, Spilsby, Lincolnshire PE23 5HE

Trademark Transfers



TECHNICAL DATASHEET

www.ja-int.com

APPLICATION

Temperature (°C): 210°C

Temperature (°F): 410°F

Time: 7-10 seconds

Pressure: High 56.9 - 71.1 psi / 3.9 - 4.9 bar / 4.0 - 5.0 kg/cm²

This product may leave behind a small amount of residual ink on the carrier.

LAUNDERING

Suitable for Industrial Laundering up to 85°C

Suitable for Industrial Drying Techniques - Medium

Suitable for Dry-Cleaning

Iron - Medium, On Reverse

HANDLING AND STORAGE

Store in a cool, dry environment

Keep away from direct sunlight

No personal protection equipment is required in handling and storage

COMPOSITION

Ink - Plastisol

Carrier - Offset Paper

HEALTH & SAFETY

This product is identified as Non-Hazardous to the end user

No PPE is required during application**

ENVIRONMENTAL / RECYCLING

Carrier paper - widely recyclable

**Any fumes created by this transfer during application are harmless. However, modern garment materials can be coated and finished in many different ways; some of which may alter their application and health & safety requirements. We recommend thorough checking and testing of any garment material to determine the correct requirements before application.